


CleverWall

LED Video Wall Solutions

Take your images and videos to the next level, with stunning picture quality showing every detail. With dynamic colour, enhance your content for the complete immersive experience.

CleverWall is suited to many settings. With pixel pitches and sizes to suit your environment. Easy to install, modular in construction, with a cabinet of less than 5kgs. Get the truest blacks and the whitest whites with CleverWall's high resolution technology.



Integrate seamlessly for realtime wireless screen-sharing from up to 4 devices simultaneously. Synchronized annotating from multiple devices. Interact with CleverWall via smartphones and tablet computers.

All our LED Videowalls come with an onboard android, racking and audio speakers.



Featuring All-in-one Design

Integrated design with no external devices

Built-in Android System and audio

Revolutionary 3-in-1 board that integrates a power supply, a receiving card and a hub board

Unified hardware and software technical support and service

Available in a range of sizes

120" | 138" | 150" | 165"

180" | 199" | 220" | 249" | 299"

Available in a range of pixel sizes

1.2 | 1.4 | 1.5 | 1.7 | 1.9 | 2.1 | 2.5

Key Features



≤4.8kg/Cabinet



≤31mm



Standby Mode



Aspect Ratio



Built-in Android Technology



Volume Control



Annotate from Multiple Devices



Screen Share with 4 Devices



Immersive Meeting Experiences

Inbuilt audio system
Ultra-wide screen or wide screen, presenting a exceptional AV experience



Delivery Simplicity and Efficiency

Ease of use of the monitor functions with the remote control

Plug and play system, one button to turn on/off

Smart remote control to access settings



CLEVER LIVE

Add a Pico player or CleverHub for a fully functioning, feature rich digital signage and to connect to CleverLive.

CleverWall Specifications

Display Diagonal (inches)	138"	165"	220"	220"	120"	150"	180"
Pixel Pitch	1.5	1.9	2.54	1.2	1.38	1.73	2.08
Format							
Weight (kg)	135	190	330	330	90	135	190
Resolution	1920x1080	1920x1080	1920x1080	3840x2160	1920x1080	1920x1080	1920x1080
Brightness (nits)							
Refresh Rate (Hz)							
Contrast Ratio							
Viewing Angle (H/V)							
Visual Led Size (mm)	3050x1716	3660x2059	4880x2745	4880x2745	2664x1499	3330x1873	3996x2248
Total Physical Size	3063X1846X30.5	3673X2188X30.5	4884X2875X30.5	4884X2875X30.5	2678X1630X28.5	3344X2004X28.5	4010X2379X28.5
Picture in picture							
Audio Frequency							
Installation Mode							
USB Interface							
HDMI Interface							
Cabinet Arrangement	5x5	6x6	8x8	8x8	4x4	5x5	6x6
Cabinet Material							
Maintenance							
Power Consumption (Max./Ave.) (KW)	2.19/0.74	2.83/1.13	5.2/1.77	6.20/2.48	1.85/0.74	2.42/0.82	3.38/1.35

Display Consumption (inches)	199"	249"	299"
Pixel Pitch	1.27	1.59	1.91
Format	32.9		
Weight (kg)	175	265	375
Resolution	3840x1080		
Brightness (nits)	≥550		
Refresh Rate (Hz)	3840		
Contrast Ratio	6500:1		
Viewing Angle (H/V)	160°/140°		
Visual Led Size (mm)	4880x1372	6100x1715	7320x2058
Total Physical Size (mm)	4894x1489x30.5	6114x1832x30.5	7334x2175x30.5
Installation Mode	Wall Mounting		
USB Interface	Yes		
HDMI Interface	Yes		
Cabinet Arrangement	8x4	10x5	12x6
Cabinet Quantity	32	50	72
Maintenance	Front		
Power Consumption (KW)	3.10	4.38	5.66

1. The installation mode with mobile stand only available for 120", 138", 150", 165".

2. "31mm" from overall dimension refers to thickness of screen.

Note: Specifications are for reference only and are subject to change without notice.

© 2021 Clevertouch. All rights reserved. Sahara Presentations Systems PLC. is part of the Boxlight group of companies, and the owner of trademarks in several global jurisdictions including but not limited to Clevertouch, the Clevertouch logo, UX Pro, IMPACT™, IMPACT Plus™, Impact MAX, CleverLive, LUX, Lynx, CleverMessage, Cleverstore and Clevershare. All third-party trademarks (including logos and icons) referenced by Clevertouch remain the property of their respective owners. Unless specifically identified as such, Clevertouch's use of third-party trademarks does not indicate any relationship, sponsorship, or endorsement between Clevertouch and the owners of these trademarks. Applicable Terms and Conditions for warranty and support available at clevertouch.com/about/warranty. All weights and dimensions are approximate. Product specifications are subject to change without notice. Clevertouch.com.